

LOAN DOCUMENT

	DTIC ACCESSION NUMBER		PHOTOGRAPH THIS SHEET	<div>①</div>				
		LEVEL		INVENTORY				
AFCEE Bioventing Test Initiative Final Tables								
DOCUMENT IDENTIFICATION 3 Aug 94								
DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited								
DISTRIBUTION STATEMENT								
<div>ACCESSION FOR NTIS <input type="checkbox"/> GRAM <input checked="" type="checkbox"/> DTIC <input type="checkbox"/> TRAC <input type="checkbox"/> UNANNOUNCED <input type="checkbox"/> JUSTIFICATION</div> <div>BY</div> <div>DISTRIBUTION/</div> <div>AVAILABILITY CODES</div> <table border="1"><thead><tr><th>DISTRIBUTION</th><th>AVAILABILITY AND/OR SPECIAL</th></tr></thead><tbody><tr><td>A-1</td><td></td></tr></tbody></table>		DISTRIBUTION	AVAILABILITY AND/OR SPECIAL	A-1		<div>DATE ACCESSIONED</div> <div>DATE RETURNED</div> <div>REGISTERED OR CERTIFIED NUMBER</div>		
DISTRIBUTION	AVAILABILITY AND/OR SPECIAL							
A-1								
DISTRIBUTION STAMP								
20001121 053								
DATE RECEIVED IN DTIC								
PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC								

H
A
N
D
L
E

W
I
T
H

C
A
R
E

ENGINEERING-SCIENCE, INC.

1700 Broadway, Suite 900 • Denver, Colorado 80290 • (303) 831-8100 • Fax: (303) 831-8208

August 3, 1994

Mr. Marty Faile
AFCEE/ERT
8001 Arnold Drive
Brooks AFB, Texas 78235-5357

RE: AFCEE Bioventing Test Initiative Final Tables

Dear Marty:

Please find attached final tables and site figures for several sites at which 12 months of bioventing pilot testing have been completed. Specifically, final tables and site figures are attached for Hickam AFB, Hawaii - Area H, Area K, and Site 2 at the Waikakalaua Fuel Storage Annex.

Please call me or Brian Blicher at (303) 831-8100 if you have any questions.

Sincerely,

ENGINEERING-SCIENCE, INC.



Doug C. Downey, P.E.
Project Manager

c.c.: Brian R. Blicher
File

AQM01-01-0291

DEFENSE TECHNICAL INFORMATION CENTER
REQUEST FOR SCIENTIFIC AND TECHNICAL REPORTSTitle AFCEE Collection

1. Report Availability (Please check one box)

- ☒ This report is available. Complete sections 2a - 2f.
☐ This report is not available. Complete section 3.

2a. Number of
Copies Forwarded1 each

2b. Forwarding Date

July/2000

2c. Distribution Statement (Please check ONE box)

DoD Directive 5230.24, "Distribution Statements on Technical Documents," 18 Mar 87, contains seven distribution statements, as described briefly below. Technical documents MUST be assigned a distribution statement.

- ☒ DISTRIBUTION STATEMENT A: Approved for public release. Distribution is unlimited.
- ☐ DISTRIBUTION STATEMENT B: Distribution authorized to U.S. Government Agencies only.
- ☐ DISTRIBUTION STATEMENT C: Distribution authorized to U.S. Government Agencies and their contractors.
- ☐ DISTRIBUTION STATEMENT D: Distribution authorized to U.S. Department of Defense (DoD) and U.S. DoD contractors only.
- ☐ DISTRIBUTION STATEMENT E: Distribution authorized to U.S. Department of Defense (DoD) components only.
- ☐ DISTRIBUTION STATEMENT F: Further dissemination only as directed by the controlling DoD office indicated below or by higher authority.
- ☐ DISTRIBUTION STATEMENT X: Distribution authorized to U.S. Government agencies and private individuals or enterprises eligible to obtain export-controlled technical data in accordance with DoD Directive 5230.25, Withholding of Unclassified Technical Data from Public Disclosure, 6 Nov 84.

2d. Reason For the Above Distribution Statement (in accordance with DoD Directive 5230.24)

2e. Controlling Office

HQ AFCEE2f. Date of Distribution Statement
Determination15 Nov 2000

3. This report is NOT forwarded for the following reasons. (Please check appropriate box)

- ☐ It was previously forwarded to DTIC on _____ (date) and the AD number is _____
- ☐ It will be published at a later date. Enter approximate date if known. _____
- ☐ In accordance with the provisions of DoD Directive 3200.12, the requested document is not supplied because: _____

Print or Type Name

Laura Peña

Telephone

210-536-1431

Signature

Laura Peña

(For DTIC Use Only)

AQ Number

11-0000000001-0291




TABLE 1
AREA H
RESPIRATION AND DEGRADATION RATES
HICKAM AFB, HAWAII

Location - Depth (feet bgs) ^{a/}	Initial = April 1993			6 - Month ^{c/} = Nov. - Dec. 1993			1 - Year = May 1994		
	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year) ^{b/}	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)
VW	0.020	<10 ^{e/}	NS ^{d/}	0.00032	<10	NS	0.00023	<10	NS
MPA-6	0.0043	210	26.7	0.00011	<10	32.0	0.00023	<10	28.6
MPA-12.3	NS	NS	NS	0.00046	19	NS	0.00030	<10	NS
MPA-16.5	NS	NS	26.3	0.0031	120	28.6	NS	NS	27.3
MPB-6.3	NS	NS	NS	0.000064	<10	NS	0.000031	<10	NS
MPB-16.5	NS	NS	NS	0.0052	52	NS	NS	NS	NS
MPC-12.4	0.011	110	NS	NS	NS	NS	NS	NS	NS

^{a/} feet bgs = feet below ground surface.

^{b/} Milligrams of hydrocarbons per kilogram of soil per year.

^{c/} Assumes moisture content of the soil is an average between the initial and final readings.

^{d/} NS = Not sampled.

^{e/} Although oxygen utilization was measured in these points, high levels of soil moisture are reducing the air-filled porosity of the soil and limiting oxygen supply to soil bacteria.

TABLE 2
AREA H
INITIAL AND 1-YEAR SOIL AND SOIL GAS ANALYTICAL RESULTS
HICKAM AFB, HAWAII

Analyte (Units) ^{a/}	Sample Location-Depth (feet below ground surface)							
	VW		MPA-6		MPB-6.3		MPC-12.4	
	Initial ^{b/}	1-Year ^{d/}	Initial	1-Year	Initial	1-Year	Initial	1-Year ^{e/}
Soil Gas Hydrocarbons								
TVH (ppmv)	330,000	210	2,100	6.9	NS ^{d/}	1.2	380,000	NS
Benzene (ppmv)	<10	<0.003	<0.10	<0.002	NS	<0.002	<10	NS
Toluene (ppmv)	<10	0.020	<0.10	<0.002	NS	<0.002	<10	NS
Ethylbenzene (ppmv)	26	0.018	0.15	<0.002	NS	<0.002	57	NS
Xylenes (ppmv)	<10	0.014	0.11	<0.002	NS	<0.002	61	NS
Soil Hydrocarbons								
	VW-18		MPA-18		MPB-18			
	Initial ^{f/}	1-Year ^{g/}	Initial	1-Year	Initial	1-Year		
TRPH (mg/kg)	<5	<6.7	23.9	7.7	9.0	<6.5		
Benzene (mg/kg)	2.25	0.06	<0.22	0.043	6.0	0.13		
Toluene (mg/kg)	8.7	0.0014	1.2	0.032	6.0	0.0063		
Ethylbenzene (mg/kg)	6.3	0.0014	2.0	0.0069	8.1	0.0064		
Xylenes (mg/kg)	16.0	0.001	2.6	0.0099	4.0	0.0028		
Moisture (%)	25.3	25.2	22.2	23.8	26.4	23.2		

^{a/}TVH = total volatile hydrocarbons; ppmv = parts per million, volume per volume;

TRPH = total recoverable petroleum hydrocarbons; mg/kg = milligrams per kilogram.

^{b/}Initial soil gas samples collected on April 22, 1993.


^{c/}1-Year soil gas samples collected on May 18 and 21, 1994.

^{d/}NS = not sampled.

^{e/}Sample could not be collected due to presence of water at the screen.

^{f/}Initial soil samples collected on March 23 and 24, 1993.

^{g/}1-Year soil samples collected on May 31 and June 1, 1994.



- LEGEND
- ⊙ EXISTING WELLS
 - VW ▲ CENTRAL VENT WELL (AIR INJECTION)
 - MPA ○ MONITORING POINT

FIGURE 1
AREA K
AS-BUILT SITE PLAN

HICKAM AFB, HAWAII

ENGINEERING-SCIENCE, INC.
Denver, Colorado

ES

TABLE 1
AREA K
RESPIRATION AND DEGRADATION RATES
HICKAM AFB, HAWAII

Location - Depth (feet bgs) ^{a/}	Initial = April 1993			6 - Month ^{c/} = Nov. - Dec. 1993			1 - Year = May 1994		
	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year) ^{b/}	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)
MPA - 5	0.026	5000	26.1	0.0062	1100	31.8	0.0072	1400	28.5
MPB - 5	0.013	1800	NS ^{d/}	0.0092	1600	NS	0.0057	1100	NS
MPC - 5	0.022	3300	NS	0.0071	1300	NS	0.0063	1200	NS

^{a/} feet bgs = feet below ground surface.

^{b/} Milligrams of hydrocarbons per kilogram of soil per year.

^{c/} Assumes moisture content of the soil is the average of the initial and 1 - year soil moisture values.

^{d/} NS=Not Sampled.

TABLE 2
AREA K
INITIAL AND 1-YEAR SOIL AND SOIL GAS ANALYTICAL RESULTS
HICKAM AFB, HAWAII

Analyte (Units) ^{a/}	Sample Location - Depth (feet below ground surface)					
	VW		MPA-5		MPC-5	
	Initial ^{b/}	1-Year ^{c/}	Initial	1-Year	Initial	1-Year ^{d/}
Soil Gas Hydrocarbons						
TVH (ppmv)	4,000	17	41,000	45,000	34,000	2,600
Benzene (ppmv)	3.5	<0.01	130	<0.05	120	<0.05
Toluene (ppmv)	<0.2	<0.01	<2.0	<0.05	<2.0	<0.05
Ethylbenzene (ppmv)	2.7	0.073	41	3.3	22	2.6
Xylenes (ppmv)	14	0.24	81	9.0	48	6.7
Soil Hydrocarbons						
	VW-6.5		MPA-5.5		MPB-5.5	
	Initial ^{e/}	1-Year ^{f/}	Initial	1-Year	Initial	1-Year
TRPH (mg/kg)	<5.0	66	<5.0	6.5	55	69
Benzene (mg/kg)	0.54	<0.0005	<0.83	<0.0005	2.2	<0.0005
Toluene (mg/kg)	5.9	<0.0005	6.5	<0.0005	23	<0.0005
Ethylbenzene (mg/kg)	2.6	<0.0005	6.4	<0.0005	21	<0.0005
Xylenes (mg/kg)	13	<0.0007	12	<0.0008	32	<0.0008
Moisture (%)	15.1	11.8	15.9	14.5	15.4	14.7

^{a/} TVH = total volatile hydrocarbons; ppmv = parts per million, volume per volume;

TRPH = total recoverable petroleum hydrocarbons; mg/kg = milligrams per kilogram.

^{b/} Initial soil gas samples collected on April 2, 1993.

^{c/} 1-Year soil gas samples collected on May 23, 1994.

^{d/} Results averaged with duplicate sample.

^{e/} Initial soil samples collected on March 24-25, 1993.

^{f/} 1-Year soil samples collected on May 31, 1994.




TABLE 1
SITE 2
RESPIRATION AND DEGRADATION RATES
WAIKAKALAU FUEL STORAGE ANNEX
HICKAM AFB, HAWAII

Location - Depth (feet bgs) ^{a/}	Initial = May 1993			6 - Month ^{c/} = Nov. 1993			1 - Year = May 1994		
	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year) ^{b/}	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)	K _o (% O ₂ /min)	Degradation Rate (mg/kg/year)	Soil Temperature (°C)
VW	0.0040	350	NS ^{d/}	0.00036	20	NS	0.0025	110	NS
MPA - 12.4	NS	NS	22.4	NS	NS	25.4	NS	NS	26.4
MPA - 24.3	0.017	890	NS	0.013	1600	NS	0.011	2300	NS
MPA - 70	NS	NS	26.2	NS	NS	25.1	NS	NS	25.6
MPB - 36.1	0.0010	<10 ^{e/}	NS	NS	NS	NS	0.0018	100	NS
MPC - 73.2	NS	NS	NS	0.00018	<10	NS	NS	NS	NS
MW - 6	0.018	1130	NS	NS	NS	NS	0.020	1600	NS

^{a/} feet bgs = feet below ground surface.

^{b/} Milligrams of hydrocarbons per kilogram of soil per year.

^{c/} Assumes moisture content of the soil is an average between the initial and final readings.

^{d/} NS = not sampled.

^{e/} Although oxygen utilization was measured in these points, high levels of moisture are reducing the air - filled porosity of the soil and limiting oxygen supply to soil bacteria.

TABLE 2
SITE 2
INITIAL AND 1-YEAR SOIL AND SOIL GAS ANALYTICAL RESULTS
WAIKAKALAU FUEL STORAGE ANNEX
HICKAM AFB, HAWAII

Analyte (Units) ^{a/}	Sample Location - Depth (feet below ground surface)					
	VW		MPA-24.3		MPC-37.6	
	Initial ^{b/}	1-Year ^{d/}	Initial	1-Year ^{d/}	Initial	1-Year
Soil Gas Hydrocarbons						
TVH (ppmv)	19,000	1.9	22,000	16,000	250	3,200
Benzene (ppmv)	46	<0.005	<1.1	<0.26	0.083	<0.11
Toluene (ppmv)	86	<0.005	<1.1	<0.26	0.450	<0.11
Ethylbenzene (ppmv)	16	<0.005	21	17	0.180	5.3
Xylenes (ppmv)	52	0.017	66	44	0.580	11
Soil Hydrocarbons	VW-29.5		VW-60		MPA-40	
	Initial ^{e/}		Initial		Initial	
	1-Year ^{f/}		1-Year ^{d/}		1-Year ^{d/}	1-Year
TRPH (mg/kg)	51.76	3,540	3,586	135	553.1	1,842
Benzene (mg/kg)	<0.52	<3.9	1.7	1.5	<0.54	0.28
Toluene (mg/kg)	5.1	<3.9	3.6	10.7	4.5	1.3
Ethylbenzene (mg/kg)	8.1	33	0.85	5.3	6.5	4.7
Xylenes (mg/kg)	40	<5.5	4.1	26.6	31	20
Moisture (%)	32.6	36.6	33.4	32.5	34.8	24.3
					38.5	33.9

^{a/}TVH = total volatile hydrocarbons; ppmv = parts per million, volume per volume;
TRPH = total recoverable petroleum hydrocarbons; mg/kg = milligrams per kilogram.

^{b/}Initial soil gas samples collected on April 27, 1993.

^{c/}1-Year soil gas samples collected on May 26, 1994.

^{d/}Results averaged with duplicate sample.

^{e/}Initial soil samples collected on March 30 to April 15, 1993.

^{f/}1-Year soil samples collected on June 1 to 3, 1994.